

Lack of data


- ✓ Impacts on air and water quality
- ✓ Community impacts

Variance of conditions by region

- ✓ Geologic differences
- ✓ Meteorological conditions
- ✓ Different risks?


Regulations

- ✓ Data driven
- ✓ Tailored to community needs





Mobile Monitoring and Fixed-Site Auto Gas Chromatographs






Fixed-Site Canister Sampler






Dallas/Fort Worth Ozone Design TCEQ Values and Barnett Shale Production






Annual Benzene Concentrations and Barnett Shale Production



NOTES: DISH and Eagle Mountain AutoGC monitors were installed in April 2010. Flower Mound and Decatur AutoGC monitors and Johnson County Luisa canister monitor were installed in November 2010. The Everman AutoGC monitor was installed in August 2011. The Kennedale AutoGC monitor was installed in June 2012. The UT Arlington, Mansfield, and Rhome AutoGC monitors were installed September, October, and November 2012, respectively. Data from monitors installed in 2012 are incomplete.




Benzene Trends: Longview Monitor (1998 – 2007)





TCEQ Region 5 – Longview



- Mobile Monitoring Investigation in January 2009
 - Used IR camera to survey
 - Collected air samples
 - Max instantaneous benzene concentration of 1100 ppb at Site 2 Tank Battery
- Most likely source of elevated benzene was Chinn Exploration Co.
- In 2008 benzene levels decreased to <1.4 ppb





Storage Tank Battery located at Site 2

This map was generated by the Toxicology Division (TD) of the TCEQ. No claims are made to the accuracy or completeness of the data, or to the suitability of the map for a particular use. For more information regarding this map, please contact the TD at (512) 239-1795.



Benzene Trends: Longview Monitor (1998 – 2007)







Barnett Shale Area Flyovers

- Flyovers were conducted in 2007 and 2010
- The 2010 flyover resulted in images of over 5,000 individual storage tanks and identified 88 sources of significant hydrocarbon emissions.








What Are We Finding?

- Short-term samples for carbonyls, NO_x, and sulfur compounds have not detected chemicals at short-term levels of concern.
- Less than 5% of VOC canister samples had a short-term, health- or odor-based AMCV exceedance.
 - VOCs detected above an odor-based AMCV*:
 - Isobutane, Isopentane, Isoprene, 2-Methylpentane, m & p-Xylene, n-Pentane, n-Propylbenzene, p-Diethylbenzene, Styrene, Cyclohexane, Methylcyclohexane
 - VOCs detected above a short-term, health-based AMCV*:
 - Benzene, Carbon Disulfide, 1,2-Dibromoethane, Isobutane, Isoprene,
 Methylcyclopentane, 2-Methylpentane, n-Butane, n-Heptane, n-Octane
- Citizen complaints odor and irritation

^{*}Samples evaluated using the most current short-term, health- and odor-based AMCVs





DISH, Texas Exposure Investigation

- Conducted by the Texas Department of State Health Services
 - Sample population: 28 individuals living in or near DISH, Texas
 - Blood samples analyzed for VOCs
 - Urine samples analyzed for breakdown products of VOCs
 - Tap water samples from 27 homes analyzed for VOCs
 - Conclusion: Community-wide exposures from gas wells or compressor stations were not occurring in the sample population based on the pattern of VOCs in the samples.
- Full report available online: http://www.dshs.state.tx.us/epitox/assess.shtm



What Are We Finding?

- Nearly all of the issues documented arose from human or mechanical failures.
- These items were quickly remedied and could have been avoided through increased diligence on the part of the operator.
- Corrective actions amounted to little more than replacing worn gaskets, closing open hatches, and repairing stuck

valves.



TCEQ Activities

- Outreach and education for operators
- New rules Best Management Practices
- Compliance investigations handheld monitoring
- Public education open houses
- Website transparency and information
 - http://www.tceq.texas.gov/airquality/barnettshale