## Thriving on Our Changing Planet

A Decadal Strategy for Earth Observation from Space



# Thriving on Our Changing Planet

A Decadal Strategy for Earth Observation from Space



A report of the Decadal Survey for Earth Science and Applications from Space Released: 5 January 2018

Report available at: http://www.nas.edu/esas2017

## Quick Summary: Recommendations



#### **SCIENCE & APPLICATIONS**



"Thriving on our Changing Planet"

Address **35 key science/applications questions,** from among hundreds suggested. Those with objectives prioritized as most important fell into **six categories**:

- Coupling of the Water and Energy Cycles
- Ecosystem Change
- Extending & Improving Weather and Air Quality Forecasts
- Sea Level Rise
- Reducing Climate Uncertainty & Informing Societal Response
- Surface Dynamics, Geological Hazards and Disasters



#### **OBSERVATIONS**

## Augment the **Program of Record** with **eight priority observables**:

- **Five** that are specified to be implemented:
  - Aerosols
  - Clouds, Convection, & Precipitation
  - Mass Change
  - Surface Biology & Geology
  - Surface Deformation & Change
- Three others to be selected competitively from among seven candidates
- Structure new NASA mission program elements to accomplish this
- Methods for new NASA capabilities to be leveraged by NOAA and USGS



#### **PROGRAMMATICS**

- CROSS-AGENCY
- NASA
  - Flight
  - Technology
  - Applications
- NOAA
- USGS

## What We Were Asked to Do

#### **OVERARCHING TASKS**

- Assess progress from 2007
- Develop a prioritized list of toplevel science and application objectives for 2017-2027
- Identify gaps and opportunities in the programs of record at NASA, NOAA, and USGS
- Recommend approaches to facilitate the development of a robust, resilient, and appropriately balanced U.S. program of Earth observations from space

#### **GENERAL & AGENCY-SPECIFIC TASKS**

#### Cross-Agency

- Enabling activities
- Partnerships & synergies

#### NASA

- Program balance and scope
- Ventures flight element
- Decision principles and measurement continuity

#### NOAA and USGS

- Non-traditional observation sources
- On-ramp of scientific advances
- Research-to-operations
- Technology replacement/infusion

## **Steering Committee**

WALEED ABDALATI, University of Colorado Boulder, Co-Chair WILLIAM B. GAIL, Global Weather Corporation, Co-Chair

STEVEN J. BATTEL, Battel Engineering, Inc. STACEY W. BOLAND, Jet Propulsion Laboratory ROBERT D. BRAUN, University of Colorado **SHUYI S. CHEN, University of Washington** WILLIAM E. DIETRICH, University of California, Berkeley **SCOTT C. DONEY, University of Virginia CHRISTOPHER B. FIELD, Stanford University HELEN A. FRICKER, Scripps Institution of Oceanography** SARAH T. GILLE, Scripps Institution of Oceanography **DENNIS L. HARTMANN, University of Washington DANIEL J. JACOB, Harvard University ANTHONY C. JANETOS, Boston University EVERETTE JOSEPH, University of Albany, SUNY JOYCE E. PENNER, University of Michigan** SOROOSH SOROOSHIAN, University of California, Irvine GRAEME L. STEPHENS, Jet Propulsion Laboratory/Caltech BYRON D. TAPLEY, The University of Texas at Austin W. STANLEY WILSON, National Oceanic and Atmospheric Administration (ret.)

#### **National Academies**

Space Studies Board (lead)
Board on Atmospheric Sciences and Climate
Board on Earth Sciences and Resource
Ocean Studies Board
Polar Research Board
Water Sciences and Technology Board

ANTONIO J. BUSALACCHI JR., NAE (Original Co-Chair - resigned from committee, 8/19/2015 -- 5/5/2016) UCAR MOLLY K. MACAULEY [Deceased], (Member, 12/1/2015 -- 7/8/2016) Resources for the Future

## **Panels**

## Global Hydrological Cycles and Water Resources

Co-Chairs: Jeff Dozier, UC Santa Barbara and Ana Barros, Duke University

The movement, distribution, and availability of water and how these are changing over time

## Weather and Air Quality: Minutes to Subseasonal

Co-Chairs: Steve Ackerman, University of Wisconsin and Nancy Baker, NRL

Atmospheric Dynamics, Thermodynamics, Chemistry, and their interactions at land and ocean interfaces

## Marine and Terrestrial Ecosystems and Natural Resource Management

Co-Chairs: Compton (Jim) Tucker, NASA GSFC and Jim Yoder, WHOI

Biogeochemical Cycles, Ecosystem Functioning, Biodiversity, and factors that influence health and ecosystem services

## Climate Variability and Change: Seasonal to Centennial

Co-Chairs: Carol Anne Clayson, WHOI and Venkatachalam (Ram) Ramaswamy, NOAA GFDL

Forcings and Feedbacks of the Ocean, Atmosphere, Land, and Cryosphere within the Coupled Climate System

### Earth Surface and Interior: Dynamics and Hazards

Co-Chairs: Dave Sandwell, Scripps and Doug Burbank, UC Santa Barbara

Core, mantle, lithosphere, and surface processes, system interactions, and the hazards they generate

# Earth Information is Increasingly Critical to *Thriving* on our Planet

#### THE IMPORTANCE OF EARTH INFORMATION Earth-observing satellites provide critical information about our planet. This information supports a broad range of societal needs and enables the scientific discovery required to meet those needs, making us all healthier, safer, and more efficient. HELPING PLAN OUR DAY 300 billion weather forecasts 100+ million used by Americans American adults use every year internet-based mapping services Americans rely on sophisticated Earth information throughout their everyday lives, from weather forecasts to navigation applications in their cars. Satellites are the original sources of much of the data. PROTECTING OUR HEALTH of the world's population is at risk from malaria. premature deaths from Satellite observations of temperature, air pollution around the vegetation, and rainfall help predict the spread of mosquito-borne world every year illnesses like malaria. Zika. and West Nile Virus. Earth-observing satellites track the concentration of harmful pollutants across the country, providing air quality data for rural areas without ground-based monitoring systems and measuring the effects of air quality regulations.



## A Paradigm and a Challenge

#### Earth Science and Applications Paradigm for the Coming Decade


Earth science and derived Earth information have become an integral component of our daily lives, our business successes, and society's capacity to thrive. Extending this societal progress requires that we focus on understanding and reliably predicting the many ways our planet is changing.

#### **Decadal Community Challenge**

Pursue increasingly ambitious objectives and innovative solutions that enhance and accelerate the science/applications value of space-based Earth observation and analysis to the nation and to the world in a way that delivers great value, even when resources are constrained, and ensures that further investment will pay substantial dividends.

## Path from Science & Applications to Observational Priorities

Blue: Science & Applications; Green: Observables



## Recommended NASA Flight Program Elements

#### Program of Record.

The series of existing or previously planned observations, which should be completed as planned.

Execution of the ESAS 2017 recommendation requires that the total cost to NASA of the Program of Record flight missions from FY18-FY27 be capped at \$3.6B.

- Designated. A <u>new</u> program element for ESAS-designated cost-capped medium- and large-size missions to address observables essential to the overall program and that are outside the scope of other opportunities in many cases. Can be competed, at NASA discretion.
- Earth System Explorer. A <u>new</u> program element involving competitive opportunities for medium-size instruments and missions serving specified ESAS-priority observations.
   Promotes competition among priorities.
- *Incubation.* A <u>new</u> program element, focused on investment for priority observation opportunities needing advancement prior to cost-effective implementation, including an Innovation Fund to respond to emerging needs. *Investment in innovation for the future*.
- Venture. Earth Venture program element, as recommended in ESAS 2007 with the addition of a <u>new</u> Venture-Continuity component to provide opportunity for low-cost sustained observations.

## Summary of Top Science & Applications Priorities\*

\* Complete set of Questions and Objectives in Table 3.3

Science & Applications Topic	Science & Applications Questions addressed by MOST IMPORTANT Objectives
Coupling of the Water and Energy Cycles	(H-1) How is the water cycle changing? Are changes in evapotranspiration and precipitation accelerating, with greater rates of evapotranspiration and thereby precipitation, and how are these changes expressed in the space-time distribution of rainfall, snowfall, evapotranspiration, and the frequency and magnitude of extremes such as droughts and floods?  (H-2) How do anthropogenic changes in climate, land use, water use, and water storage interact and modify the water and energy cycles locally, regionally and globally and what are the short- and long-term consequences?
Ecosystem Change	<ul> <li>(E-1) What are the structure, function, and biodiversity of Earth's ecosystems, and how and why are they changing in time and space?</li> <li>(E-2) What are the fluxes (of carbon, water, nutrients, and energy) <u>between</u> ecosystems and the atmosphere, the ocean and the solid Earth, and how and why are they changing?</li> <li>(E-3) What are the fluxes (of carbon, water, nutrients, and energy) <u>within</u> ecosystems, and how and why are they changing?</li> </ul>
Extending & Improving Weather and Air Quality Forecasts	(W-1) What planetary boundary layer (PBL) processes are integral to the air-surface (land, ocean and sea ice) exchanges of energy, momentum and mass, and how do these impact weather forecasts and air quality simulations? (W-2) How can environmental predictions of weather and air quality be extended to seamlessly forecast Earth System conditions at lead times of 1 week to 2 months? (W-4) Why do convective storms, heavy precipitation, and clouds occur exactly when and where they do? (W-5) What processes determine the spatio-temporal structure of important air pollutants and their concomitant adverse impact on human health, agriculture, and ecosystems?
Reducing Climate Uncertainty & Informing Societal Response	(C-2) How can we reduce the uncertainty in the amount of future warming of the Earth as a function of fossil fuel emissions, improve our ability to predict local and regional climate response to natural and anthropogenic forcings, and reduce the uncertainty in global climate sensitivity that drives uncertainty in future economic impacts and mitigation/adaptation strategies?
Sea Level Rise	(C-1) How much will sea level rise, globally and regionally, over the next decade and beyond, and what will be the role of ice sheets and ocean heat storage? (S-3) How will local sea level change along coastlines around the world in the next decade to century?
Surface Dynamics, Geological Hazards	<b>(S-1)</b> How can large-scale geological hazards be accurately forecasted and eventually predicted in a socially relevant timeframe?

## Recommended NASA Priorities: Designated

TARGETED OBSERVABLE	SCIENCE/APPLICATIONS SUMMARY	CANDIDATE MEASUREMENT APPROACH	Designated	Explorer	Incubation
Aerosols	Aerosol properties, aerosol vertical profiles, and cloud properties to understand their direct and indirect effects on climate and air quality	Backscatter lidar and multi- channel/multi- angle/polarization imaging radiometer flown together on the same platform	x		
Clouds, Convection, & Precipitation	Coupled cloud-precipitation state and dynamics for monitoring global hydrological cycle and understanding contributing processes	Radar(s), with multi-frequency passive microwave and sub-mm radiometer	x		
Mass Change	Large-scale Earth dynamics measured by the changing mass distribution within and between the Earth's atmosphere, oceans, ground water, and ice sheets	Spacecraft ranging measurement of gravity anomaly	x		
Surface Biology & Geology	Earth surface geology and biology, ground/water temperature, snow reflectivity, active geologic processes, vegetation traits and algal biomass	Hyperspectral imagery in the visible and shortwave infrared, multi- or hyperspectral imagery in the thermal IR	x		
Surface Deformation & Change	Earth surface dynamics from earthquakes and landslides to ice sheets and permafrost	Interferometric Synthetic Aperture Radar (InSAR) with ionospheric correction	x		


## Recommended NASA Priorities: Explorer

TARGETED OBSERVABLE	SCIENCE/APPLICATIONS SUMMARY	CANDIDATE MEASUREMENT APPROACH	Designated	Explorer	Incubation	
Greenhouse Gases	CO <sub>2</sub> and methane fluxes and trends, global and regional with quantification of point sources and identification of source types	Multispectral short wave IR and thermal IR sounders; or lidar**		x		
Ice Elevation	Global ice characterization including elevation change of land ice to assess sea level contributions and freeboard height of sea ice to assess sea ice/ocean/atmosphere interaction	Lidar**		x		
Ocean Surface Winds & Currents	Coincident high-accuracy currents and vector winds to assess air-sea momentum exchange and to infer upwelling, upper ocean mixing, and seaice drift.	Radar scatterometer		x		
Ozone & Trace Gases	Vertical profiles of ozone and trace gases (including water vapor, CO, NO₂, methane, and N₂O) globally and with high spatial resolution	UV/IR/microwave limb/nadir sounding and UV/IR solar/stellar occultation		x		
	Snow depth and snow water equivalent including high spatial resolution in mountain areas	Radar (Ka/Ku band) altimeter; or lidar**		x		
Terrestrial Ecosystem Structure	3D structure of terrestrial ecosystem including forest canopy and above ground biomass and changes in above ground carbon stock from processes such as deforestation & forest degradation	Lidar**		x		
Atmospheric Winds	3D winds in troposphere/PBL for transport of pollutants/carbon/aerosol and water vapor, wind energy, cloud dynamics and convection, and large-scale circulation	Active sensing (lidar, radar, scatterometer); passive imagery or radiometry-based atmos. motion vectors (AMVs) tracking; or lidar**		x	x	

## Recommended NASA Priorities: Incubation/Other

TARGETE OBSERVAE	SCIENCE/APPLICATIONS SUMM	MARY	CANDIDATE MEASUREMENT APPROACH	Designated	Explorer	Incubation
Atmospheric Winds Winds  Atmospheric Winds  Winds  Atmospheric Winds  Winds  Atmospheric Winds  Winds  Atmospheric Winds  Winds		erosol <sub>sca</sub> oud or r ge- mo	tive sensing (lidar, radar, atterometer); passive imagery radiometry-based atmos. ation vectors (AMVs) tracking; lidar**		x	x
Planetar Boundar Layer	Diurnal 3D PBL thermodynamic properties and 2D PBL structure to understand the impact of PBL processes on weather and AQ through high vertical and temporal profiling of PBL temperature, moisture and heights.		crowave, hyperspectral IR under(s) (e.g., in geo or small constellation), GPS radio cultation for diurnal PBL mperature and humidity and ights; water vapor profiling AL lidar; and lidar** for PBL ight			x
Surface Topograpi & Vegetati	ice topography vegetation structure		dar; or lidar**			x
** Could potentially be addressed by a multi-function lidar designed to address two or more of the  Targeted Observables  Other ESAS 2017 Targeted Observables, not Allocated to a Flight Program Element						
Aquatic Bio	Aquatic Biogeochemistry Radian		iance Intercalibration			
Magnetic I	Magnetic Field Changes Sea Su		Sea Surface Salinity			
Ocean Eco	Ocean Ecosystem Structure Soil Mo		Soil Moisture			

## NASA Budget Compliance




- Liens from last decade into this one are substantial
- Very little flexibility to absorb funding challenges until mid decade
- Committee sought to keep liens lower on next decade
  - Allows more flexibility for next decadal survey
  - Some carry over of programs into subsequent decade is required

## **NOAA Observation System Opportunities**

EXPECTED NOAA "UNSATISFIED PRIORITIES"	EXPECTED NOAA PRIORITY AND RATIONALE	RELATED ESAS 2017 PROGRAMS OR TARGETED OBSERVABLES
Instrument Cost Reduction	HIGH – Reducing cost of any system element enables greater system capability. NOAA has limited capacity to invest in development activities that eventually reduce production cost.	☐ Incubation program element ☐ NASA ESTO
	eHIGH – High cost and low technology readiness impede inclusion in NOAA operational system.	□ Atmospheric Winds
Global Precipitation Rate	HIGH – High cost and low technology readiness impede inclusion in NOAA operational system.	☐ Clouds, Convection, & Precipitation
Seasonal Forecasting	MEDIUM – Multiple new and often difficult observations needed, notably upper ocean and ocean-atmosphere coupling, along with assurance of continuity and ongoing cost reduction for existing observations.	☐ Many ESAS 2017 Targeted Observables
Ocean Surface Vector Winds	MEDIUM – Coverage is likely to be less than desired, with high-volume coverage presently costly.	□ Ocean Surface Winds & Currents
Global Atmospheric Soundings	MEDIUM – Expect future systems to have more soundings of at least moderate precision/accuracy levels as compared to today, but high precision/accuracy IR and microwave soundings may be lacking.	□ Planetary Boundary Layer
	LOW to MEDIUM – Useful for forecaster gnowcasting, but generally considered less valuable than global sounding.	□ Planetary Boundary Layer

## NASA Portfolio Balance

- Earth Science <u>research and analysis</u>: maintain at approximately 24% of the ESD budget (22-26%)
  - Includes 18% for openly competed research and analysis
  - Includes approximately 3% each for computing and administration
- <u>Flight</u> program (including Venture): maintain at 50-60% of the ESD budget
- Mission <u>operations</u>: maintain at 8-12% of the ESD budget
- <u>Technology</u> program: *increase* from current
   3% to about 5% of the ESD budget
- Applications program: maintain at 2-3% of the ESD budget



## Programmatics - NASA

Rec 4.6 Apply decision rules (included) to maintain programmatic balance (programmatic balance was a high priority)


Rec 4.7 Small scope changes to applications & technology programs

**Rec 4.8** Reevaluate **Ventures structure** at mid-term

**Rec 3.3** Avoiding cost growth is critical to program's success (capability and reliability are where the flexibility must be found)

## **Programmatics - NOAA**

- **Rec 4.9** Make it easier to extend use of satellite data for **NOAA purposes beyond weather**
- **Rec 4.10** Further leverage US and international government **partner observations**, allocating budget as needed to do so
- **Rec 4.11** Be a leader in exploiting **commercial observations**



**Rec 4.12** Establish with NASA a flexible framework to co-develop technology that will be used by NOAA

## **Programmatics - USGS**

**Rec 4.13** Ensure Landsat **user needs** continue to be understood and addressed

Rec 4.14 Constrain and reduce Landsat development cost



Rec 4.15 Leverage Landsat-related partnerships, including international complements

## The Decade Ahead

# Thriving on our Changing Planet




A decade in which we find growing community and public recognition of:

- Society's broad reliance on Earth information to thrive
- The growing challenge of understanding and predicting a moving target, as Earth change happens around us through natural and human influence

## **Anticipated Programmatic Progress**

**Programmatic implementation** within the agencies will be made more efficient by:

- Increasing program cost-effectiveness
- Institutionalizing sustained science continuity
- Enabling untapped interagency synergies




- Initiating or deploying more than eight new priority observations of our planet
- Achieving breakthroughs on key scientific questions

**Enhanced societal value** will be provided to businesses and individuals from scientific advances and improved Earth information, such as:

- Increased benefits to operational system end-users
- Accelerated public benefits of science
- New enabling data for innovative commercial uses








## Anticipated Science/Applications Accomplishments

#### **DESIGNATED Program Element**



Make-up and distribution of aerosols and clouds



Impacts of changing cloud cover and precipitation

Growth or shrinkage of glaciers and ice sheets






Trends in water stored on land

Alterations to surface characteristics and landscapes





Movement of land



#### **Candidate EXPLORER Program Element**

- Sources and sinks of CO2 and methane
- Contributions of glaciers and ice sheets to sea level rise
- Impacts of ocean circulation and exchange with atmosphere on weather and climate
- Changes in ozone and other gases and impacts on health and climate
- Snow amounts and melt rates and implications for water resources
- Impact of changes in **land cover** and related carbon uptake on resource management
- Transport of **pollutants** and energy between land, ocean, and atmosphere

## THANK YOU!

