Thriving on Our Changing Planet

A Decadal Strategy for Earth Observation from Space



Thriving on Our Changing Planet

A Decadal Strategy for Earth Observation from Space



Waleed Abdalati, University of Colorado Bill Gail, Global Weather Corporation

Co-Chairs, Decadal Survey for Earth Science and Applications from Space

5 January 2018

Quick Summary: Recommendations




SCIENCE & APPLICATIONS

Address **35 key science/applications questions,** from among hundreds suggested. Those with objectives prioritized as most important fell into **six categories**:

- Coupling of the Water and Energy Cycles
- Ecosystem Change
- Extending & Improving Weather and Air Quality Forecasts
- Sea Level Rise
- Reducing Climate Uncertainty & Informing Societal Response
- Surface Dynamics, Geological Hazards and Disasters







OBSERVATIONS

Augment the **Program of Record** with **eight priority observables**:

- **Five** that are specified to be implemented:
 - Aerosols
 - Clouds, Convection, & Precipitation
 - Mass Change
 - Surface Biology & Geology
 - Surface Deformation & Change
- Three others to be selected competitively from among seven candidates
- Structure **new NASA mission program elements** to accomplish this
- Methods for new NASA capabilities to be leveraged by NOAA and USGS



- CROSS-AGENCY
- NASA
 - Flight
 - Technology
 - Applications
- NOAA
- USGS

What We Were Asked to Do

OVERARCHING TASKS

- Assess progress from 2007
- Develop a prioritized list of toplevel science and application objectives for 2017-2027
- Identify gaps and opportunities in the programs of record at NASA, NOAA, and USGS
- Recommend approaches to facilitate the development of a robust, resilient, and appropriately balanced U.S. program of Earth observations from space

GENERAL & AGENCY-SPECIFIC TASKS

Cross-Agency

- Enabling activities
- Partnerships & synergies

NASA

- Program balance and scope
- Ventures flight element
- Decision principles and measurement continuity

NOAA and USGS

- Non-traditional observation sources
- On-ramp of scientific advances
- Research-to-operations
- Technology replacement/infusion

Steering Committee

WALEED ABDALATI, University of Colorado Boulder, *Co-Chair* WILLIAM B. GAIL, Global Weather Corporation, *Co-Chair*

STEVEN J. BATTEL, Battel Engineering, Inc. STACEY W. BOLAND, Jet Propulsion Laboratory **ROBERT D. BRAUN, University of Colorado** SHUYI S. CHEN, University of Washington WILLIAM E. DIETRICH, University of California, Berkeley SCOTT C. DONEY, University of Virginia **CHRISTOPHER B. FIELD, Stanford University** HELEN A. FRICKER, Scripps Institution of Oceanography SARAH T. GILLE, Scripps Institution of Oceanography **DENNIS L. HARTMANN, University of Washington DANIEL J. JACOB, Harvard University ANTHONY C. JANETOS, Boston University EVERETTE JOSEPH, University of Albany, SUNY** JOYCE E. PENNER, University of Michigan SOROOSH SOROOSHIAN, University of California, Irvine **GRAEME L. STEPHENS, Jet Propulsion Laboratory/Caltech** BYRON D. TAPLEY, The University of Texas at Austin W. STANLEY WILSON, National Oceanic and Atmospheric Administration (ret.)

National Academies

Space Studies Board (lead)
Board on Atmospheric
Sciences and Climate
Board on Earth Sciences and
Resource
Ocean Studies Board
Polar Research Board
Water Sciences and
Technology Board

ANTONIO J. BUSALACCHI JR., NAE (Original Co-Chair - resigned from committee, 8/19/2015 -- 5/5/2016) UCAR MOLLY K. MACAULEY [Deceased], (Member, 12/1/2015 -- 7/8/2016) Resources for the Future

Panels

Global Hydrological Cycles and Water Resources

Co-Chairs: Jeff Dozier, UC Santa Barbara and Ana Barros, Duke University

The movement, distribution, and availability of water and how these are changing over time

Weather and Air Quality: Minutes to Subseasonal

Co-Chairs: Steve Ackerman, University of Wisconsin and Nancy Baker, NRL

Atmospheric Dynamics, Thermodynamics, Chemistry, and their interactions at land and ocean interfaces

Marine and Terrestrial Ecosystems and Natural Resource Management

Co-Chairs: Compton (Jim) Tucker, NASA GSFC and Jim Yoder, WHOI

Biogeochemical Cycles, Ecosystem Functioning, Biodiversity, and factors that influence health and ecosystem services

Climate Variability and Change: Seasonal to Centennial

Co-Chairs: Carol Anne Clayson, WHOI and Venkatachalam (Ram) Ramaswamy, NOAA GFDL

Forcings and Feedbacks of the Ocean, Atmosphere, Land, and Cryosphere within the Coupled Climate System

Earth Surface and Interior: Dynamics and Hazards

Co-Chairs: Dave Sandwell, Scripps and Doug Burbank, UC Santa Barbara

Core, mantle, lithosphere, and surface processes, system interactions, and the hazards they generate

Earth Information is Increasingly Critical to *Thriving* on our Planet

THE IMPORTANCE OF EARTH INFORMATION





A Paradigm and a Challenge

Earth Science and Applications Paradigm for the Coming Decade


Earth science and derived Earth information have become an integral component of our daily lives, our business successes, and society's capacity to thrive. Extending this societal progress requires that we focus on understanding and reliably predicting the many ways our planet is changing.

Decadal Community Challenge

Pursue increasingly ambitious objectives and innovative solutions that enhance and accelerate the science/applications value of space-based Earth observation and analysis to the nation and to the world in a way that delivers great value, even when resources are constrained, and ensures that further investment will pay substantial dividends.

Path from Science & Applications to Observational Priorities

Blue: Science & Applications; Green: Observables



Recommended NASA Flight Program Elements

Program of Record. The series of existing or previously planned observations, which should be completed as planned. Execution of the ESAS 2017 recommendation requires that the total cost to NASA of the Program of Record flight missions from FY18-FY27 be capped at \$3.6B.

- Designated. A <u>new</u> program element for ESAS-designated cost-capped medium- and large-size missions to address observables essential to the overall program and that are outside the scope of other opportunities in many cases. Can be competed, at NASA discretion.
- **Earth System Explorer.** A <u>new</u> program element involving competitive opportunities for medium-size instruments and missions serving specified ESAS-priority observations. **Promotes competition among priorities.**
- Incubation. A <u>new</u> program element, focused on investment for priority observation opportunities needing advancement prior to cost-effective implementation, including an Innovation Fund to respond to emerging needs. Investment in innovation for the future.
- Venture. Earth Venture program element, as recommended in ESAS 2007 with the addition of a <u>new</u> Venture-Continuity component to provide opportunity for low-cost sustained observations.

Recommended NASA Priorities: Designated

TARGETED OBSERVABLE	SCIENCE/APPLICATIONS SUMMARY	CANDIDATE MEASUREMENT APPROACH	Designated	Explorer	Incubation
Aerosols	Aerosol properties, aerosol vertical profiles, and cloud properties to understand their direct and indirect effects on climate and air quality	Backscatter lidar and multi- channel/multi- angle/polarization imaging radiometer flown together on the same platform	x		
Clouds, Convection, & Precipitation	Coupled cloud-precipitation state and dynamics for monitoring global hydrological cycle and understanding contributing processes	Radar(s), with multi-frequency passive microwave and sub-mm radiometer	x		
Mass Change	Large-scale Earth dynamics measured by the changing mass distribution within and between the Earth's atmosphere, oceans, ground water, and ice sheets	Spacecraft ranging measurement of gravity anomaly	x		
Surface Biology & Geology	Earth surface geology and biology, ground/water temperature, snow reflectivity, active geologic processes, vegetation traits and algal biomass	Hyperspectral imagery in the visible and shortwave infrared, multi- or hyperspectral imagery in the thermal IR	x		
Surface Deformation & Change	Earth surface dynamics from earthquakes and landslides to ice sheets and permafrost	Interferometric Synthetic Aperture Radar (InSAR) with ionospheric correction	x		


Recommended NASA Priorities: Explorer

TARGETED OBSERVABLE	SCIENCE/APPLICATIONS SUMMARY	CANDIDATE MEASUREMENT APPROACH	Designated	Explorer	Incubation
Greenhouse Gases	CO ₂ and methane fluxes and trends, global and regional with quantification of point sources and identification of source types	Multispectral short wave IR and thermal IR sounders; or lidar**		x	
Ice Elevation	Global ice characterization including elevation change of land ice to assess sea level contributions and freeboard height of sea ice to assess sea ice/ocean/atmosphere interaction	Lidar**		x	
Ocean Surface Winds & Currents	Coincident high-accuracy currents and vector winds to assess air-sea momentum exchange and to infer upwelling, upper ocean mixing, and seaice drift.	Radar scatterometer		x	
Ozone & Trace Gases	Vertical profiles of ozone and trace gases (including water vapor, CO, NO₂, methane, and N₂O) globally and with high spatial resolution	UV/IR/microwave limb/nadir sounding and UV/IR solar/stellar occultation		x	
Snow Depth & Snow Water Equivalent	Snow depth and snow water equivalent including high spatial resolution in mountain areas	Radar (Ka/Ku band) altimeter; or lidar**		x	
Terrestrial Ecosystem Structure	3D structure of terrestrial ecosystem including forest canopy and above ground biomass and changes in above ground carbon stock from processes such as deforestation & forest degradation	Lidar**		x	

Recommended NASA Priorities: Incubation/Other

	TARGETED OBSERVABLE	SCIENCE/APPLICATIONS SUMMARY		CANDIDATE MEASUREMENT APPROACH	Designated	Explorer	Incubation
	Atmospheric Winds	3D winds in troposphere/PBL for transport of pollutants/carbon/ac and water vapor, wind energy, clodynamics and convection, and lar scale circulation	erosol oud	Active sensing (lidar, radar, scatterometer); passive imagery or radiometry-based atmos. motion vectors (AMVs) tracking; or lidar**		x	x
	Planetary Boundary Layer Diurnal 3D PBL thermodynamic properties and 2D PBL structure to understand the impact of PBL processe on weather and AQ through high vertical and temporal profiling of PBL temperature, moisture and heights.		cesses vertical	Microwave, hyperspectral IR sounder(s) (e.g., in geo or small sat constellation), GPS radio occultation for diurnal PBL temperature and humidity and heights; water vapor profiling DIAL lidar; and lidar** for PBL height			x
	Surface Topography & Vegetation	ice tonography vegetation structure		Radar; or lidar**			x
** Could potentially be addressed by a multi-function lidar designed to address two or more of the Targeted Observables Other ESAS 2017 Targeted Observables, not Allocated to a Flight Program Element							
	Aquatic Biogeochemistry Radia		Radiano	nce Intercalibration			
	and the state of t			a Surface Salinity			
	Ocean Ecosystem Structure Soil		Soil Mo	Moisture			

NASA Budget Compliance




- Liens from last decade into this one are substantial
- Very little flexibility to absorb funding challenges until mid decade
- Committee sought to keep liens lower on next decade
 - Allows more flexibility for next decadal survey
 - Some carry over of programs into subsequent decade is required

NOAA Observation System Opportunities

EXPECTED NOAA "UNSATISFIED PRIORITIES"	EXPECTED NOAA PRIORITY AND RATIONALE	RELATED ESAS 2017 PROGRAMS OR TARGETED OBSERVABLES		
Instrument Cost Reduction	HIGH – Reducing cost of any system element enables greater system capability. NOAA has limited capacity to invest in development activities that eventually reduce production cost.	Incubation program elementNASA ESTO		
	reHIGH – High cost and low technology readiness impede inclusion in NOAA operational system.	• Atmospheric Winds		
Global Precipitation Rate	e HIGH – High cost and low technology readiness impede inclusion in NOAA operational system.	• Clouds, Convection, & Precipitation		
Seasonal Forecasting	MEDIUM – Multiple new and often difficult observations needed, notably upper ocean and ocean-atmosphere coupling, along with assurance of continuity and ongoing cost reduction for existing observations.	• Many ESAS 2017 Targeted Observables		
Ocean Surface Vector Winds	MEDIUM – Coverage is likely to be less than desired, with high-volume coverage presently costly.	• Ocean Surface Winds & Currents		
Global Atmospheric Soundings	MEDIUM – Expect future systems to have more soundings of at least moderate precision/accuracy levels as compared to today, but high precision/accuracy IR and microwave soundings may be lacking.	• Planetary Boundary Layer		
C	LOW to MEDIUM – Useful for forecaster gnowcasting, but generally considered less valuable than global sounding.	• Planetary Boundary Layer		

NASA Portfolio Balance

- Earth Science research: maintain at approximately 24% of the budget (22-26%)
 - Includes 18% for openly competed research and analysis
 - Includes approximately 3% each for computing and administration
- Flight programs (including Venture): maintain
 60% of the budget



- Mission Operations: maintain at 8-12% of the budget
- Technology program: increase from current 3% to about 5%
- Applications program: maintain at 2-3% of the budget

Programmatics - NASA

Rec 4.6 Apply **decision rules** (included) to maintain programmatic balance (programmatic balance was a high priority)

Rec 4.7 Small scope changes to applications & technology programs

Rec 4.8 Reevaluate **Ventures structure** at mid-term

Rec 3.3 Avoiding cost growth is critical to program's success (capability and reliability are where the flexibility must be found)

Programmatics - NOAA

Make it easier to extend use of NOAA Rec 4.9 OCHANOSA, AND ATMOSA, OCHANOSA, OCHA satellite data for other NOAA uses beyond weather

Further leverage US and international Rec 4.10 government partner observations

Rec 4.11 Be a leader in exploiting commercial observations

Establish with NASA a flexible framework Rec 4.12 to co-develop technology that will be used by NOAA

DEPARTMENT OF COMM

Programmatics - USGS

Rec 4.13 Ensure Landsat user needs continue to be understood and addressed

Rec 4.14 Constrain and reduce Landsat development cost



Rec 4.15 Leverage Landsat-related partnerships, including international complements

The Decade Ahead

Thriving on our Changing Planet




A decade in which we find growing community and public recognition of:

- Society's broad reliance on Earth information to thrive
- The growing challenge of understanding and predicting a moving target, as Earth change happens around us through natural and human influence

Anticipated Programmatic Progress

Programmatic implementation within the agencies will be made more efficient by:

- Increasing Program Cost-effectiveness
- Institutionalizing Sustained Science Continuity
- Enabling Untapped Interagency Synergies




- Initiating or Deploying More Than Eight New Priority Observations of our Planet
- Achieving Breakthroughs on Key Scientific Questions

Enhanced societal value will be provided to businesses and individuals from scientific advances and improved Earth information, such as:

- Increased Benefits to Operational System End-Users
- Accelerated Public Benefits of Science
- New Enabling Data for Innovative Commercial Uses








Anticipated Science/Applications Accomplishments

DESIGNATED Program Element



Make-up and distribution of aerosols and clouds



Impacts of changing cloud cover and precipitation


Growth or shrinkage of glaciers and ice sheets






Trends in water stored on land

Alterations to **surface** characteristics and landscapes





Movement of land



Candidate EXPLORER Program Element

- Sources and sinks of CO2 and methane
- Contributions of glaciers and ice sheets to sea level rise
- Impacts of ocean circulation and exchange with atmosphere on weather and climate
- Changes in ozone and other gases and impacts on health and climate
- Snow amounts and melt rates and implications for water resources
- Impact of changes in land cover and related carbon uptake on resource management
- Transport of pollutants and energy between land, ocean, and atmosphere

Questions? esas2017@nas.edu

