



# Ice Giants

Pre-Decadal Study Summary  
Decadal Mid-Term Review, 5 May 2017

Amy Simon (NASA Goddard Space Flight Center)  
Mark Hofstadter (Jet Propulsion Laboratory, California Institute of  
Technology)  
and the Ice Giant Study Team






# Study Goal and Objectives

## Goal

- Assess science priorities and affordable mission concepts & options for exploration of the Ice Giant planets, Uranus and Neptune in preparation for the next Decadal Survey.

## Objectives


- Evaluate alternative architectures to determine the most compelling science mission(s) that can be feasibly performed within \$2B (\$FY15)
  - Identify potential concepts across a spectrum of price points
- Identify mission concepts that can address science priorities based on what has been learned since the 2013–2022 Decadal Survey
- Identify enabling/enhancing technologies
- Assess capabilities afforded by SLS



# Key Study Guidelines


## (Excerpted from Study Guidelines Document)

- Establish a Science Definition Team
- Address both Uranus and Neptune systems
- Determine pros/cons of using one spacecraft design for both missions (possibility of joint development of two copies)
- Identify missions across a range of price points, with a cost not to exceed \$2B (\$FY15) per mission
- Perform independent cost estimate and reconciliation with study team
- Identify model payload for accommodation assessment for each candidate mission.
- Constrain missions to fit on a commercial LV
  - Also identify benefits/cost savings if SLS were available (e.g., time, traj., etc.)
- Launch dates from 2024 to 2037 (focus on the next decadal period)
- Evaluate use of realistic emerging enabling technologies; distinguish mission specific vs. broad applicability
- Identify clean interface roles for potential international partnerships




# Why Uranus and Neptune?

- These relatively unexplored systems are fundamentally different from the gas giants (Jupiter and Saturn) and the terrestrial planets
  - Uranus and Neptune are ~65% water by mass (plus some methane, ammonia and other so-called “ices”). Terrestrial planets are 100% rock; Jupiter and Saturn are ~85% H<sub>2</sub> and He
- Ice giants appear to be very common in our galaxy; most planets known today are ice giants
- They challenge our understanding of planetary formation, evolution, and physics
  - Models suggest ice giants have a narrow time window for formation. If correct, why are they so common in other planetary systems?
  - Why is Uranus not releasing significant amounts of internal heat? Does its output vary seasonally?
  - Why are the ice giant magnetic fields so complex? How do the unusual geometries affect interactions with the solar wind?



Uranus in 2012 (Sromovsky et al. 2015) and 1986 (right, Voyager)



# 12 Key Science Objectives

## Highest Priority

- Interior structure of the planet
- Bulk composition of the planet (including isotopes and noble gases)

## Planetary Interior/Atmosphere

- Planetary dynamo
- Atmospheric heat balance
- Tropospheric 3-D flow





## Rings/Satellites

- Internal structure of satellites
- Inventory of small moons, including those in rings
- Ring and satellite surface composition
- Ring structures and temporal variability
- Shape and surface geology of satellites
- Triton's atmosphere: origin, evolution, and dynamics

## Magnetosphere


- Solar wind-magnetosphere-ionosphere interactions and plasma transport






# Uranus or Neptune?

- Uranus and Neptune systems are equally important
- A Flagship mission to either is scientifically compelling
- It is important to recognize, however, that Uranus and Neptune are not equivalent. Each has things to teach us the other cannot. For example
  - Native ice-giant satellites (Uranus) vs. captured Kuiper Belt object (Neptune)
  - The smallest (Uranus) and largest (Neptune) releases of internal heat, relative to input solar, of any giant planet
  - Dynamics of thin, dense rings and densely packed satellites (Uranus) vs. clumpy rings (Neptune)



*Uranus (top, Sromovsky et al. 2007) and Neptune (bottom, Voyager)*




# Model Payloads

Chosen to maximize science return. Similar for Uranus and Neptune.

## Model payload for probe:

- Mass spectrometer
- ASI (density, pressure and temperature profile)
- Hydrogen ortho-para instrument
- Nephelometer



## Model payload for orbiter or flyby s/c

**50 kg orbiter payload  
addresses minimum  
acceptable science**


- NAC,
- Doppler Imager,
- Magnetometer.

**90 kg orbiter payload  
partially addresses each  
science objective. Add to 50  
kg case:**

- Vis/NIR imaging spect.,
- Radio and Plasma suite,
- Thermal IR,
- Mid-IR or UV spect.


**150 kg orbiter payload  
comprehensively addresses all  
science objectives. Add to 90 kg  
case:**


- WAC,
- USO,
- Energetic Neutral Atoms,
- Dust detector,
- Langmuir probe,
- Radio sounder/Mass spec.



# Mission Architectures

- Wide range of architectures assessed; ranked scientifically and costed
- Orbiter with probe is scientifically compelling and meets study cost target
- Adding second s/c to the other ice giant significantly enhances science return






# Getting to the Ice Giants

- Launch interval studied: [2024 – 2037]
- Total mission duration < 15 years including at least 2 years of science
- Interplanetary flight time:
  - 6 – 12 years to Uranus
  - 8 – 13 years to Neptune


Launch Vehicles	Interplanetary Trajectory	Gravity Assist (up to 4 per Traj.)	Target Bodies	SEP Power	EP Engines	Orbit Insertion
<ul style="list-style-type: none"><li>•Atlas V</li><li>•Delta-IV Heavy</li><li>•SLS-1B</li></ul>	<ul style="list-style-type: none"><li>•Chemical + DSM + GA</li><li>•SEP + GA</li><li>•REP + GA</li><li>•Dual Spacecraft</li></ul>	<ul style="list-style-type: none"><li>•Venus</li><li>•Earth</li><li>•Mars</li><li>•Jupiter</li><li>•Saturn</li></ul>	<ul style="list-style-type: none"><li>•Uranus</li><li>•Neptune</li></ul>	<ul style="list-style-type: none"><li>•15 kW</li><li>•25 kW</li><li>•35 kW</li></ul>	<ul style="list-style-type: none"><li>•NEXT 1+1 (SEP)</li><li>•NEXT 2+1 (SEP)</li><li>•NEXT 3+1 (SEP)</li><li>•XIPS (REP)</li></ul>	<ul style="list-style-type: none"><li>•Chemical (Bi-Prop)</li><li>•Chemical (cryo)</li><li>•REP</li><li>•Aerocapture</li></ul>


- Tens of thousands of trajectory options to both planets were examined
- Orbit insertion  $\Delta V$  at both Uranus and Neptune is high
  - Neptune: 2.3-3.5 km/s
  - Uranus: 1.5-2.5 km/s



# Mission Design Takeaways

- Launches are possible any year studied (2024-2037)
  - Optimal launch opportunities are in 2029-2032, using Jupiter gravity assist
  - Missions to Uranus via Saturn are possible through mid-2028
  - No Neptune via Saturn trajectories in the study time-range
- Chemical trajectories deliver a flagship-class orbiter (>1500 kg dry mass) to Uranus in < 12 years using Atlas V
  - Delta-IV Heavy can reduce interplanetary flight time by 1.5 years
- No chemical trajectories exist for delivering a flagship-class orbiter to Neptune in < 13 years using Atlas V or Delta-IV Heavy launch vehicles. SLS or Longer flight times would be needed.
- SEP Enables a flagship orbiter to Neptune in 12-13 years
  - Implemented as separable stage to minimize propellant required for insertion





# Benefits of SLS


All single planet missions studied are achievable with existing ELVs

SLS can provide enhancing benefits:

- Increases deliverable mass and lowers flight time by 3 to 4 years
- Enables chemical Neptune mission in 11.5 yr.
- Enables two spacecraft missions with a single launch
- Increases launch opportunities




When combined with aerocapture capability, enables very low flight times for both Uranus (< 5 yr.) and Neptune (< 7 yr.)




# Mission Concept Point Designs

Four basic mission concepts were taken through Team X for point design and costing. These concepts were chosen to constrain the science/cost parameter space:


- Uranus orbiter with ~50 kg payload and atmospheric probe
- Uranus orbiter with ~150 kg payload without a probe
- Neptune orbiter with ~50 kg payload and atmospheric probe
- Uranus flyby spacecraft with ~50 kg payload and atmospheric probe




# Key architectures fully assessed using common building blocks




Neptune Orbiter with  
Probe, SEP, and 50 kg  
payload




Uranus Flyby with  
Probe and 50 kg  
payload



Uranus Orbiter with  
Probe and 50 kg  
payload



Uranus Orbiter with  
150 kg payload




# Concept Summary

<b>Case Description</b>	Neptune Orbiter with probe and <50 kg science payload. Includes SEP stage for inner solar system thrusting.	Uranus Flyby spacecraft with probe and <50 kg science payload	Uranus Orbiter with probe and <50 kg science payload. Chemical only mission.	Uranus Orbiter without a probe, but with 150 kg science payload. Chemical only mission.
<b>Science</b>	Highest priority plus additional system science (rings, sats, magnetospheres)	Highest priority science (interior structure and composition)	Highest priority plus additional system science (rings, sats, magnetospheres)	All remote sensing objectives
<b>Team X Cost Estimate* (\$k, FY15)</b>	1971	1493	1700	1985
<b>Aerospace ICE (\$k, FY15)</b>	2280	1643	1993	2321
<b>Payload</b>	3 instruments <sup>†</sup> + atmospheric probe	3 instruments <sup>†</sup> + atmospheric probe	3 instruments <sup>†</sup> + atmospheric probe	15 instruments <sup>#</sup>
<b>Payload Mass MEV (kg)</b>	45	45	45	170
<b>Launch Mass (kg)</b>	7365	1524	4345	4717
<b>Launch Year</b>	2030	2030	2031	2031
<b>Flight Time (yr)</b>	13	10	12	12
<b>Time in Orbit (yr)</b>	2	Flyby	3	3
<b>Total Mission Length (yr)</b>	15	10	15	15
<b>RPS use/EOM Power</b>	4 eMMRTGs/ 376W	4 eMMRTGs/ 425W	4 eMMRTGs/ 376W	5 eMMRTGs/ 470W
<b>LV</b>	Delta IVH + 25 kW SEP	Atlas V 541	Atlas V 551	Atlas V 551
<b>Prop System</b>	Dual Mode/NEXT EP	Monopropellant	Dual Mode	Dual Mode

\*Includes cost of eMMRTGs, NEPA/LA, and standard minimal operations, LV cost not included

<sup>†</sup>includes Narrow Angle Camera, Doppler Imager, Magnetometer   <sup>#</sup>includes Narrow Angle Camera, Doppler Imager, Magnetometer, Vis-NIR Mapping Spec., Mid-IR Spec., UV Imaging Spec., Plasma Suite, Thermal IR, Energetic Neutral Atoms, Dust Detector, Langmuir Probe, Microwave Sounder, Wide Angle Camera




# Cost Summary, Key Architectures

<b>Description</b>	Neptune Orbiter with probe and 50 kg science payload (requires SEP stage)	Uranus Flyby spacecraft with probe and 50 kg science payload	Uranus Orbiter with probe and 50 kg science payload	Uranus Orbiter without a probe, and 150 kg science payload
<b>Team X Cost Estimates (\$k, FY15)</b>				
<b>Total Mission Cost*</b>	1971	1493	1700	1985
<b>Aerospace ICE (\$k, FY15)</b>				
<b>Total Mission Cost*</b>	2280	1643	1993	2321

*\*Includes cost of eMMRTGs, NEPA/LA, and standard operations. LV cost not included.*

- Neptune missions cost ~\$300M more than Uranus for comparable science return (driven by SEP)
- The Uranus orbiter with probe mission is estimated to be in the range of \$1.7 to \$2.6B depending on the orbiter payload (50-150 kg range) and reserve posture

The cost information contained in this document is of a budgetary and planning nature and is intended for informational purposes only. It does not constitute a commitment on the part of JPL and/or Caltech



# New Technologies Considered


Mission enhancing, but not required

- In Space Transportation
  - Aerocapture
  - LOX-LH<sub>2</sub> chemical propulsion
  - Radioisotope Electric Propulsion (REP)
- Optical Communications Beyond 3AU
- Small satellites
- Advanced Radioisotope Power
  - Segmented Modular Radioisotope Thermoelectric Generator (SMRTG)
  - High Power Stirling Radioisotope Generator (HPSRG)

## Enabling


- eMMRTG radioisotope power system
- HEEET thermal protection system
- Giant planet seismometer (e.g. Doppler Imager)

- Ice Giants concepts can be implemented with eMMRTG and HEEET technology currently in development. GP seismology is an opportunity for ground-breaking science.



# Study Recommendations


- An orbiter with probe be flown to Uranus, launching near 2030
- A Uranus or Neptune orbiter should carry a payload between 90 and 150 kg
- Two-planet, two-spacecraft mission options should be explored
- The development of eMMRTGs and HEEET is enabling and should be completed as planned
- There should be continued investments in ground-based research (theoretical and observational) and instrumentation. Important areas include upper-atmospheric properties, ring-particle impact hazard, and giant-planet seismology
- International collaborations should be leveraged to maximize the science return while minimizing the cost to each partner
- An additional mission study should be performed that uses refined programmatic ground-rules to better target the mission likely to fly



# An Ice Giant Mission in 2030


## Why should we be excited about this possibility?

- This mission engages all disciplines in the planetary science community, as well as heliophysics and exoplanet scientists
- Later launches lose the opportunity to map the Northern Hemispheres of the Uranian satellites, and sample unique solar wind geometries
- The mission requires no new technology, and is low-risk




© Woods Hole Oceanographic Institute & Kevin Hand

- Completes the Decadal Survey's recommended Flagship missions
- Partners, especially ESA, are interested in cost-sharing




# Backup




# International Partnerships


- A broad option space exists for international partnerships
  - Scientists
  - Instruments
  - Probes
  - Spacecraft or spacecraft subsystems
  - Ground stations
  - Possible second spacecraft on either a shared or separate launch vehicle
- ESA received a briefing on 31 January
  - They will propose a mechanism for their participation in an Ice Giant Flagship





# Science Objectives Summary

- All elements of the Ice Giant systems (interior, atmosphere, rings, satellites, magnetosphere) have important science objectives that cannot be met through Earth-based observations
- Determining the interior structure and bulk composition of the ice giants is identified as the highest-payoff science
- Scientific and technological advances, and improved trajectories, make these measurements higher priority than in the Decadal Survey
- 12 key science objectives drive mission architectures (next slide)
- All science objectives are consistent with and traceable to the decadal survey






# SEP Tradespace Example




- Useful Inserted Mass = Mass after Orbit insertion – Propellant Tanks
- The colored legend depicts interplanetary flight time in years. **Note that the colors are unique to each plot.**
- Tradespace highlights high performing trajectories, backup launch opportunities and allows us to pick a baseline mission trajectory for further refinements

*Figures shown are for Delta-IV heavy launch vehicle with 25 kW SEP stage only*



# Costing Approach

- Cost estimates developed by JPL's Team X and the Aerospace Corporation
- Assumptions used for costing come from Study Ground Rules:
  - All costs in \$FY15; Include minimum 30% reserves (A–D), 15% (E–F)
  - Assume Class B (per NPR 8705.4), Category I (per NPR 7120.5) mission
  - Exclude LV
  - Include cost of RPS including NEPA/LA
  - Include operations (full life cycle mission cost)
  - Include DSN as separate line item
  - Reserves excluded on RPS and LV
- Aerospace independent cost estimate (ICE) generally higher than Team X as a result of modeling differences for flight system and operations
  - Differences within the error bars of the estimation techniques



# Science Definition Team

**Chairs:** Mark Hofstadter (JPL), Amy Simon (Goddard)

Sushil Atreya (Univ. Mich.)

Donald Banfield (Cornell)

Jonathan Fortney (UCSC)

Alexander Hayes (Cornell)

Matthew Hedman (Univ. Idaho)

George Hospodarsky (U. Iowa)

## **ESA Members:**

Adam Masters (Imp. College)

Diego Turrini (INAF-IAPS/UDA)

Kathleen Mandt (SwRI)



Mark Showalter (SETI Inst.)

Krista Soderlund (Univ. Texas)

Elizabeth Turtle (APL)



Predecisional - For planning and discussion  
purposes only. URS CL#265147



# Mission Design Team

- **NASA Interface:** Curt Niebur
- **Study Lead:** John Elliott

- ESA Interface:** Luigi Colangeli
- JPL Study Manager:** Kim Reh

## **Mission Concept Design**

Terri Anderson (costing)  
David Atkinson (probes)  
Nitin Arora (trajectory)  
Chester Borden (system eng.)  
Jim Cutts (technology)  
Young Lee (RPS)  
Anastassios Petropoulos (trajectory)  
Tom Spilker (science, system eng.)  
David Woerner (RPS)

## **Science Definition Team**

Co-Chairs: M. Hofstadter/A. Simon  
Members: See next slide

## **Other Organizations**

Langley Research Center (TPS)  
Ames Research Center (TPS)  
Purdue University (mission design)  
Aerospace Corp. (ICE)